

Index to *Doug Welsh's Texas Garden Almanac*, Texas A&M Press, 2007

Page numbers in *italics* denote illustrations

A

abelia (*Abelia grandiflora*), 458
Abronia spp., 263
Acacia farnesiana, 250, 319, 321, 324
acephate (Orthene), 157, 211
Acer barbatum, 326
Achillea millefolium, 356
acidic soils, 17, 18, 19
adaptation of plants, 205, 322, 410
advertisements, evaluating claims in, 412–14
aeration: of lawns, 173–74; of soil, 18
aerosol pesticides, 214
Aesculus glabra var. *arguta*, 319, 321, 325
Aesculus pavia, 319, 321, 324
African iris (*Moraea iridioides*, *Diets iridioides*), 264, 354
agarita (*Mahonia trifoliata*), 379, 460
Agave americana, 251
Agave havardiana, 251
Agave neomexicana, 251
Ajuga reptans, 425
Alamanda cathartica, 262, 422
alkaline soils, 17, 18
Allium schoenoprasum, 183
Allium sp., 124, 130, 133, 353
Allium tuberosum, 183
Alocasia spp., 264
Alpinia zerumbet, 264, 353
alternate bearing of fruit, 27
althea (*Hibiscus syriacas*), 319, 460
alyssum, 51, 54
amaranthus, 55
amaryllis (*Hippeastrum* spp.), 435–36, 435, 442–44
American beautyberry (*Callicarpa americana*), 379, 379
American holly (*Ilex opaca*), 379, 461
American plum (*Prunus americana*), 323
American Rose Society, 7
American smoke tree (*Cotinus obovatus*), 100, 319, 321, 323
ammonium sulfate, 89, 114, 127; nitrogen content of, 90, 116
Ampelopsis arborea, 312, 312
anacua/anaqua (*Ehretia anacua*), 325
Andropogon gerardii, 383
Andropogon glomeratus, 383
Anethum graveolens, 183
Angelonia angustifolia, 356
annuals: cool-season, 41, 50, 54–55, 372, 378, 403; culture of, 52–53; deer-resistant species, 283–84; definition of, 48; fertilization, 41, 52, 138, 187, 221; growing from seed, 51, 52; growing from transplants, 51–52; heat-tolerant species, 227; irrigation of, 52, 221, 248; low-water-use species, 251–52; mulching, 52; overview, 48–50; plant selection, 54–57; shade-tolerant species, 399; soil preparation, 51; sun exposure for, 50, 54–57; timing of planting, 50–51; warm-season, 50–51, 55–57, 227

annual weeds, 146, 148
Antigonon leptopus, 263, 422
antique roses. *See* old-fashioned roses
aphids, 12, 12, 200, 200, 211, 299–300
apples, 27, 30, 36–37
application-to-harvest period, 215
Aquilegia chrysantha hinckleyana, 352
aralia, Japanese (*Fatsia japonica*), 459
Araucaria heterophylla, 437–38, 437
arborists, 75
Argentina saguaro (*Trichocereus terscheckii*), 250
Aristocrat ornamental pear (*Pyrus calleryana* 'Aristocrat'), 100, 323
Arizona cypress (*Cupressus arizonica*), 250, 321, 323, 461
armyworms, 174
Artemisia, 351
Asclepias curassavica, 264
Asclepias tuberosa, 273, 334, 351
ash: 'Fan Tex' (*Fraxinus velutina* 'Fan Tex'), 321, 325; Texas (*Fraxinus texensis*), 274, 321, 327
Ashe juniper (*Juniperus ashei*), 321
Asian pears, 33
Asiatic jasmine (*Trachelospermum asiaticum*), 425
asparagus, 129, 133
asparagus fern (*Asparagus densiflorus* 'Sprengeri'), 425
Aspidistra elatior, 458
Aster x frikartii, 352
Austrian black pine (*Pinus nigra*), 325
autumn sage (*Salvia greggii*), 228, 251, 252, 351
Axonopus affinis, 160, 166, 169, 172
azalea (*Rhododendron* spp.), 99, 459

B

bachelor button, 51, 55, 137
Bacillus thuringiensis (Bt), 128, 180, 207
bactericide, 214
bagworms, 34
bait pesticides, 214
baits, fire ant, 154–56, 187–88, 373
bald cypress (*Taxodium distichum*), 321, 325
bamboo muhly (*Muhlenbergia dumosa*), 383
banana (*Musa* spp.), 264
barberry, Japanese (*Berberis thunbergii*), 380, 459
Barclay, Gwen, 177
basil (*Ocimum basilicum*), 182–83
bat guano, 89, 114, 115; nitrogen content of, 90, 116
beans, 124, 129, 133, 136, 137
bear grass (*Nolina bigelovii*), 251
beautyberry, American (*Callicarpa americana*), 379, 379
beet, 124, 129, 133
begonia, 48, 55
beneficial insects, 194, 195, 206–7
bentoquatam (Ivy Block lotion), 309
Berberis thunbergii, 380, 459

Index to *Doug Welsh's Texas Garden Almanac*, Texas A&M Press, 2007

- Bermudagrass (*Cynodon dactylon*), 160, 161, 162, 169, 172
Bermudagrass mites, 174
berries: ornamental shrubs, 77, 379–80; . *See also*
 blackberries; blueberries; raspberries
Betula nigra, 326
bifenthrin, 128
big bluestem (*Andropogon gerardii*), 383
Bignonia capreolata, 422
biological pest control methods. *See Bacillus thuringiensis*;
 beneficial insects
birch, river (*Betula nigra*), 326
birdbaths, 232
bird feeders, 189, 230, 233, 234
birdhouses, 232–33
bird-of-paradise (*Strelitzia reginae*), 264
bird of paradise: desert (*Caesalpinia gilliesii*), 251; Mexican
 (*Caesalpinia mexicana*), 251, 265; red (*Caesalpinia*
 pulcherimma), 251
birds: attracting to garden, 229–34, 334; nesting areas for,
 232–33; plants for, 229–30, 232, 234; protecting
 vegetables and fruits from, 230; shelter for, 231; water
 for, 44, 95, 223, 231–32, 290, 467
bird seed, 229, 230–31, 429–30; preventing germination of,
 231, 290
blackberries, 27, 29, 30, 31
black-eyed Susan (*Rudbeckia hirta*), 359
blackfoot daisy (*Melampodium leucanthum*), 251
black gum (*Nyssa sylvatica*), 325
blackhaw, rusty (*Viburnum rufidulum*), 321, 380
black plastic mulches, 61
black rot, of grapes, 35
black sooty mold, 196, 299
black spot, of roses, 12, 13
black walnut (*Juglans nigra*), 325
blanco crabapple (*Malus ioensis* var. *texana*), 321
blight, 36, 196, 197, 201–2, 202, 223
blood meal, 89, 114, 115; nitrogen content of, 90, 116
bloom, failure to, 193
bluebell (*Eustoma grandiflora*), 359
blueberries, 27, 29, 31–32
bluebonnet (*Lupinus* spp.), 41, 55, 359, 360–63, 360
blue fescue (*Festuca glauca*), 383
blue grama (*Bouteloua gracilis*), 383
bluegrass, 160, 167–68, 169, 172. *See also* Kentucky
 bluegrass; Texas bluegrass
blue salvia (*Salvia farinacea*), 351
blue sky flower (*Thunbergia grandiflora*), 262–63, 423
blue spruce (*Picea pungens*), 325
bluestem: big (*Andropogon gerardii*), 383; bushy
 (*Andropogon glomeratus*), 383; little (*Schizachyrium*
 scoparium), 384
bois d'arc. *See* Osage orange
books, 450
Bordeaux mixture, 210
Boston ivy (*Parthenocissus tricuspidata*), 422
Bougainvillea spp., 263, 422
Bouteloua curtipendula, 381, 385
Bouteloua gracilis, 383
boxwood, Japanese (*Buxus japonica*), 460
branches, pruning of, 71–72, 72
Brazilian sky flower (*Duranta erecta*), 352
Brent and Becky's Bulbs, 365
bridal wreath spirea (*Spirea* spp.), 99, 459
broadleaf weeds, 146
broccoli, 124, 129, 133
brown patch, 163, 175, 202, 202, 374
brussels sprouts, 124, 129, 133
Bt. *See Bacillus thuringiensis*
Buchloe dactyloides, 160, 165–66, 169, 172, 383
buckeye: Mexican (*Ungnadia speciosa*), 100, 319, 321, 324;
 red (*Aesculus pavia*), 319, 321, 324; Texas (*Aesculus*
 glabra var. *arguta*), 319, 321, 325
buckthorn, Carolina (*Frangula caroliniana*), 321
Buddleia marrubifolia, 251
buffalograss (*Buchloe dactyloides*), 160, 165–66, 169, 172,
 383
bulbine (*Bulbine frutescens*), 351
bulbs, flowering, 41, 364–66, 427, 467
Burford holly (*Ilex cornuta burfordii*), 379, 459
bur oak (*Quercus macrocarpa*), 321, 325
bushy bluestem (*Andropogon glomeratus*), 383
Butia capitata, 265, 268
butterfly bush, wooly (*Buddleia marrubifolia*), 251
butterfly caterpillars: feeding by, 189; gulf fritillary
 butterfly, 277; monarch butterfly, 273; tiger swallowtail
 butterfly, 274
butterfly gardens, 223, 273–77, 334, 405
butterfly iris (*Moraea iridioides*, *Dietes iridioides*), 264, 354
butterfly weed: *Asclepias curassavica*, 264; *A. tuberosa*,
 273, 334, 351
Buxus japonica, 460
- ### C
- cabbage, 124, 129, 133; ornamental, 54
cabbage loopers (inchworms), 405
cabbage palmetto (*Sabal palmetto*), 265, 267
cactus, Christmas (*Schlumbergera bridgesii*), 436, 436, 445–
 46
Caesalpinia gilliesii, 251
Caesalpinia mexicana, 251, 265
Caesalpinia pulcherrima, 251, 265
caladium, 51, 55, 227
Calamagrostis x acutiflora, 384
calendula, 54
California fan palm (*Washingtonia filifera*), 265, 267
Calliandra eriophylla, 251
Callicarpa americana, 379, 379
Callirhoe involucrata, 359
Camsis radicans, 423
Canada wild rye (*Elymus canadensis* var. *canadensis*), 383
Canaert red cedar (*Juniperus virginiana*), 323

Index to *Doug Welsh's Texas Garden Almanac*, Texas A&M Press, 2007

- Canary Island date palm (*Phoenix xanariensis*), 265, 266, 267
canker, 197
Canna spp., 264, 351
cantaloupe, 124, 129, 133
carbaryl (Sevin), 128
cardinal vine (*Ipomoea quamoclit*), 135, 423
Carex spp., 384
Carolina buckthorn (*Frangula caroliniana*), 321
Carolina jessamine (*Gelsemium sempervirens*), 98, 422
carpetgrass (*Axonopus affinis*), 160, 166, 169, 172
carrot, 129, 133
Carya illinoensis, 321, 326
Carya texana, 321
cassava (*Manihot esculenta*), 265
Castilleja indivisa, 359
cast-iron plant (*Aspidistra elatior*), 458
caterpillars, 120, 207; . *See also* butterfly caterpillars
cauliflower, 124, 129, 133
cedar: Ashe (*Juniperus ashei*), 321; deodar (*Cedrus deodara*), 321, 325; eastern red/Canaert (*Juniperus virginiana*), 323
cedar elm (*Ulmus crassifolia*), 321, 325
Cedrus deodara, 321, 325
cell walls, 23
Celtis occidentalis, 325
cenizo. *See* Texas sage
centipedegrass (*Ermochloa ophiuroides*), 160, 166, 169, 172
central leader, 73–74
century plant (*Agave americana*), 251
Cercis canadensis, 100, 319, 324; var. *mexicana*, 100, 319, 321, 324; var. *texensis*, 101, 101, 321, 324
Chaenomeles japonica, 99, 459
chain saws, 79
Chamaerops humilis, 265, 266, 267
chard, Swiss, 130, 133
Chasmanthium latifolium, 384
chemical insecticides, 12, 128, 210–12
cherry, Nanking (*Prunus tomentosa*), 324
cherry laurel (*Prunus caroliniana*), 323, 461
children, gardening with, 119, 134–37
chilling hours, 28, 29
Chilopsis linearis, 250, 319, 321, 323
chinch bugs, 163, 174, 174, 256–57
Chinese elm (*Ulmus parvifolia*), 326
Chinese fringe flower (*Loropetalum chinensis rubrum*), 460
Chinese fringe tree (*Chionanthus retusus*), 100, 319, 323
Chinese holly, dwarf (*Ilex cornuta rotunda*), 459
Chinese photinia (*Photinia serrulata*), 379, 461
Chinese pistache (*Pistacia chinensis*), 323
chinquapin oak (*Quercus muehlenbergii*), 321, 325
Chionanthus retusus, 100, 319, 323
chisos agave (*Agave havardiana*), 251
chives (*Allium schoenoprasum*), 183
chlorosis, 118, 197, 289
Christmas cactus (*Schlumbergera bridgesii*), 436, 436, 445–46
Christmas trees, 43, 440–41
Chrysanthemum maximum, 355
Chrysanthemum spp., 351
cigar plant (*Cuphea micropetala*), 352
cilantro (*Coriandrum sativum*), 178, 183
cities, trees for, 328–30
citrus, 27, 29, 32–33, 44, 264
clay soils, 16–17, 18
Clematis spp., 98, 422
Cleveland salvia (*Salvia clevelandii*), 252
climbing roses, 9, 13
cloning. *See* propagation
coastal muhly (*Muhlenbergia capillaris*), 384
Cockrell Butterfly Center, 274
cockscomb, 55
cold-tolerant plants, 250–52
cold-weather protection, 369–71
coleus, 55, 227
collards, 130, 133
Colocasia spp., 264
color in landscape design, 348–50, 391
columbine, Hinckley's (*Aquilegia chrysantha hinckleyana*), 352
compost piles, 157
concentrated liquid pesticides, 213
coneflower, purple (*Echinacea purpurea*), 355
Confederate jasmine (*Trachelospermum jasminoides*), 136, 422, 425
Confederate rose hibiscus (*Hibiscus mutabilis*), 352
contact pesticides, 149, 214
container-grown plants, 49, 269–72, 343; citrus, 32; herbs, 178, 257; . *See also* dish gardens
cool-season annuals, 41, 50, 54–55, 372, 378, 403
cool-season turfgrasses, 160; . *See also* names of specific grasses, e.g., ryegrass
cool-season vegetables, 126, 402
copper plant, 55
coral vine (*Antigonon leptopus*), 263, 422
Coreopsis sp., 352
Coreopsis tinctoria, 359
coriander (*Coriandrum sativum*), 178, 183
Corida boissieri, 319, 325
corn, sweet, 130, 133, 137
corn gluten meal, 149, 209
Cornus florida, 100, 319, 323, 379
Cortaderia selloana, 385
cosmos, 55
Cotinus obovatus, 100, 319, 321, 323
cotoneaster (*Cotoneaster glaucophylla*), 379, 459
cotton root rot, 35, 36, 202
county extension offices, 471
cover crops, 467
crabapple (*Malus* spp.), 321, 323
Craft, Paul, 262

Index to *Doug Welsh's Texas Garden Almanac*, Texas A&M Press, 2007

- crape myrtle (*Lagerstroemia* spp.), 294–305; aphids, 299–300; culture of, 298–300; deadheading, 222; glyphosate precaution, 150; history of, 295–96; hybridization of, 294–95; landscape uses, 297–98, 319, 321, 323, 461; powdery mildew resistance in, 205, 296, 299; propagation of, 300, 302; pruning, 300–301; size of, 296–97; sooty mold on, 196, 196, 299; varieties, 302–5
- crossvine (*Bignonia capreolata*), 422
- crotch angles, 70, 70
- cucumber, 130, 133
- cultural practices: impact on plants, 23–25; in pest management, 204–5; and plant disorders, 198–99
- cuphea (*Cuphea micropetala*), 352
- Cupressus arizonica*, 250, 321, 323, 461
- cut-flower garden, 49
- cuttings, 300, 302, 415–18
- Cycas revoluta*, 265, 268
- cyclamen, 438
- Cymbopogon* sp., 384
- Cynodon dactylon*, 160, 161, 162, 169, 172
- cypress: Arizona (*Cupressus arizonica*), 250, 321, 323, 461; bald (*Taxodium distichum*), 321, 325; Montezuma (*Taxodium mucronatum*), 321, 326; standing (*Ipomopsis rubra*), 359
- cypress vine (*Ipomoea quamoclit*), 135, 423
- Cyrtomium falcatum*, 425, 458
- ### D
- daffodils, 365
- daisy: blackfoot (*Melampodium leucanthum*), 251; Shasta (*Chrysanthemum maximum*), 355
- dalea, trailing (*Dalea greggii*), 251, 425
- Dallisgrass, 146
- damping-off, 197
- dandelion, 144, 146
- Dasyilirion wheeleri*, 251
- date palm: Canary Island (*Phoenix xanariensis*), 265, 266, 267; pygmy (*Phoenix roebelenii*), 265, 268
- daylily (*Hemerocallis* sp.), 352
- deadheading: annuals, 53; crape myrtle, 222; perennials, 346; roses, 13, 14
- deer protection, 280–81
- deer-resistant plants, 280–84
- deodar cedar (*Cedrus deodara*), 321, 325
- desert bird of paradise (*Caesalpinia gilliesii*), 251
- desert gardening, 249–52
- desert willow (*Chilopsis linearis*), 250, 319, 321, 323
- design. *See* landscape design
- Dianthus* spp., 48, 54, 355
- dieback, 196
- Dietes iridioides*, 264, 354
- dill (*Anethum graveolens*), 183
- Diospyros kaki*, 324
- Diospyros texana*, 319, 321, 380, 462
- disease management: common diseases, 201–2; disease symptoms, 195–98; fruits, 36, 37, 140, 189; grapes, 35; disease management (*cont.*): lawns, 163, 175; roses, 13, 222; vegetable gardens, 128–29; . *See also names of specific diseases, e.g., blight*
- disease-resistant varieties, 205
- disease triangle, 197–98
- dish gardens, 49, 257, 269–72, 270
- disposal of pesticides, 212, 216
- distribution uniformity, 63–64, 66
- d-limonene, 209
- dog days of summer, 263
- dogwood (*Cornus florida*), 100, 319, 323, 379
- Dolichos lablab*, 263, 420, 423
- doodle bugs (pill bugs), 223
- drainage, checking, 28
- drip irrigation: benefits of, 107–8, 244, 255; cost of, 109; design and installation of, 109–11, 112; maintenance, 112; schedules for, 111–12; types of systems, 108–9; for vegetable gardens, 127
- drip line of trees, 91
- drip tapes, 108
- drought, plant reaction to, 25
- Drummond phlox (*Phlox drummondii*), 359
- duranta (*Duranta erecta*), 352, 379
- dust pesticide formulations, 214
- dwarf palmetto palm (*Sabal minor*), 265, 267, 459
- ### E
- early blight of tomatoes, 223
- Earth-Kind roses, 9
- eastern redbud (*Cercis canadensis*), 100, 319, 324
- eastern red cedar (*Juniperus virginiana*), 323
- ebony, Texas (*Pithecellobium flexicaule*), 325
- Echinacea purpurea*, 355
- eggplant, 124, 130, 133
- Ehretia anacua*, 325
- elaeanthus (*Elaeagnus pungens*), 460
- Elaeagnus angustifolia*, 462
- Elaeagnus pungens*, 460
- Elbon cereal ryegrass, 206, 467
- Eldarica pine (*Pinus eldarica*), 323
- elementary schools, gardening programs in, 136–37
- elephant ear (*Colocasia* spp.), 264
- elm: cedar (*Ulmus crassifolia*), 321; Chinese/lace bark (*Ulmus parvifolia*), 326
- Elymus canadensis* var. *canadensis*, 383
- emergency telephone number, Poison Control Network, 217
- An Encyclopedia of Cultivated Palms* (Riffle), 262
- endosulfan (Thiodan), 128
- energy conservation, trees and, 316
- English ivy (*Hedera helix*), 423, 425
- environmental conditions. *See* cultural practices
- environmental impact of fertilizers, 113, 114, 118
- Environmental Protection Agency (EPA), 413
- equipment: as gifts, 451; mowers, 172, 223, 451, 466; for pesticide application, 215–16; for pruning, 78, 79, 451; spreaders, 117, 216

Index to *Doug Welsh's Texas Garden Almanac*, Texas A&M Press, 2007

- Eragrostis curvula*, 384
Ermochloa ophiuroides, 160, 166, 169, 172
esperanza (*Tecoma stans*), 226, 227, 251, 264, 352
Euonymus bungeanus, 324
Euphorbia pulcherrima, 434–35, 434, 447–49
Eustoma grandiflora, 359
evening primrose (*Oenothera speciosa*), 359
evergreen screening, 320, 428–29
Eve's necklace (*Sophora affinis*), 321
- ### F
- failure to bloom, 193
fairy duster, native (*Calliandra eriophylla*), 251
fall color trees, 419, 421
fallen leaves, uses for, 393–95
fall freeze, first, 81, 83–84, 86
fall growing season, 81, 338–40
fall vegetable gardening, 285–87, 290, 340, 374, 402
fan flower, 227
fan palm: California (*Washingtonia filifera*), 265, 267;
Mediterranean (*Chamaerops humilis*), 265, 266, 267;
Mexican (*Washingtonia robusta*), 265, 267
'Fan Tex' ash (*Fraxinus velutina* 'Fan Tex'), 321, 325
Fatsia japonica, 459
feather reed grass 'Karl Foerster' (*Calamagrostis x acutiflora* 'Karl Foerster'), 384
ferns: asparagus (*Asparagus densiflorus* 'Sprengeri'), 425;
deer-resistant species, 283; holly (*Cyrtomium falcatum*),
425, 458; river/wood (*Thelypteris kunthii*), 426
fertilization: annuals, 41, 52, 138, 187, 221; crape myrtle,
298; herbs, 180; houseplants, 189; lawns, 113–18, 171,
188, 400–401; perennials, 187, 348; roses, 14, 307; trees
and shrubs, 88–91, 318; vegetables, 127, 188–89
fertilizers: analysis of, 89, 114; application methods, 91,
117–18; application timing, 89, 116; calculating amounts
of, 90–91, 115–17; excessive use of, 409; iron-
containing, 118; nitrogen content of, 90, 116; quick vs.
slow release, 114–15; regulation of, 413; types of, 89,
114–15; water-soluble vs. granular, 89–90; weed-and-
feed formulations, 151
fertilizer spreaders, 117
fescue: blue (*Festuca glauca*), 383; tall (*Festuca arundinacea*), 160, 166–67, 169, 172
Festuca arundinacea, 160, 166–67, 169, 172
Festuca glauca, 383
Ficus pumila repens, 423
field sandspurs, 147
fig ivy (*Ficus pumila repens*), 423
figs, 27, 29, 30, 32
fipronil (Over 'n Out!), 158
fire ants: bait treatments, 154–56, 187–88, 373; foraging
habits of, 155; identification of, 153–54; mound
treatments, 156–57, 158, 289; season-long control
products, 157–58, 188
fire blight, 36
firebush (*Hamelia patens*), 227, 251, 352
firethorn, scarlet (*Pyracantha coccinea*), 99, 380
first aid for pesticide poisoning, 217
floribunda roses, 6, 9
flower borders: annual, 49; perennial, 343–46, 349;
preparation of beds, 41; vacation care for, 278–79;
watering of, 102
flowering quince (*Chaenomeles japonica*), 99, 459
flowering shrubs, pruning of, 76–77
flowering tobacco, 56
flowering trees, 100–101, 319
flowers. *See* annuals; perennials
flower (inflorescence) type, 344, 345
foliage texture, 349, 391, 427
Forsythia intermedia spectabilis, 461
Forsythia x intermedia, 99
fountain grass, purple (*Pennisetum setaceum* 'Rubrum'), 385
Fouquieria splendens, 25
Frangula caroliniana, 321
'Fraser' photinia (*Photinia x fraseri*), 461
Fraxinus texensis, 274, 321, 327
Fraxinus velutina 'Fan Tex', 321, 325
freeze damage, 81, 139, 427, 428; . *See also* USDA
hardiness zone map
freeze dates: by city, 81, 83–84; first fall freeze, 81, 86; last
spring freeze, 80–81, 85
Frikarti aster (*Aster x frikartii*), 352
fringe flower, Chinese (*Loropetalum chinensis rubrum*), 460
fringe tree, Chinese (*Chionanthus retusus*), 100, 319, 323
frost formation, 80
fruits, 26–40; ease of growing, 27; locally-grown,
purchasing, 219–20; pest control, 140, 189; pollination,
28–30; protection from birds, 230; purchasing and
planting, 30–31; self-fruitful vs. self-unfruitful varieties,
28, 29–30; soil requirements, 27–28; thinning, 36–37,
40, 189; time until harvest, 27; watering, 223, 290;
winter chilling requirements, 28, 29; . *See also names of
specific fruits and nuts, e.g.,* peaches
fungal blight, 196, 197, 201–2, 202
fungal diseases, 196–97, 199, 201–2; of annuals, 53; of
lawns, 163, 175; of roses, 13; . *See also names of specific
diseases, e.g.,* powdery mildew
fungal rot, 202, 202
fungicides, 214; names of common, 13, 128–29; natural,
209–10; for powdery mildew, 299; for vegetable
gardens, 128–29; . *See also* pesticides
- ### G
- Gaillardia* ssp., 252, 353, 359
gall, 197
Galphimia gracilis, 265
garden art, 392
garden design, 388–92; color in, 348–50, 391; container-
grown plants in, 288; foliage texture in, 349, 391, 427;
guidelines for, 389–92; hiring a designer, 388–89, 390;
long-term planning, 411; low-maintenance design, 453–
54; perennials in, 342–46; plant placement, 410;

Index to *Doug Welsh's Texas Garden Almanac*, Texas A&M Press, 2007

- garden design (*cont.*): shrubs in, 391, 455–56; theme gardens, 392; trees in, 315–16, 390–91; for water conservation, 239–41, 247–48; xeriscaping, 235, 240, 255
- garden products, evaluating claims for, 412–14
- garden tours, 452
- garlic (*Allium* sp.): edible, 124, 130, 133; ornamental, 353
- garlic, society (*Tulbaghia violacea*), 356, 426
- garlic chives (*Allium tuberosum*), 183
- Gaura lindheimeri*, 353
- gayfeather (*Liatrus pycnostachya*), 359
- Gelsemium sempervirens*, 98, 422
- geranium, 56
- gifts for gardeners, 450–52
- gingers, variegated (*Alpinia zerumbet*), 264, 353
- Ginkgo biloba*, 325
- Gladiolus byzintinus*, 353
- Gleditsia triacanthos*, 325
- globe amaranth, 137
- gloves, 451
- glyphosate, 149, 150, 152, 313
- golden raintree, panicled (*Koelreuteria paniculata*), 319
- golden thryallis (*Galphimia gracilis*), 265
- gomphrena, 51, 55, 137
- grama: blue (*Bouteloua gracilis*), 383; sideoats (*Bouteloua curtipendula*), 381, 385
- grandiflora roses, 6–7, 9
- granular fertilizer, 90
- granular herbicides, 148
- granular pesticides, 214
- grapefruit, 32, 429, 467
- grapes, 27, 29, 30, 34–35; ornamental use, 379–80, 423
- grassbur, 147
- grasses. *See* native plants; ornamental grasses; turfgrasses
- grasshoppers, 121, 121, 222
- grassy weeds, 146
- grayleaf cotoneaster (*Cotoneaster glaucophylla*), 379, 459
- groundcovers: crape myrtle for, 297; deer-resistant species, 283; low-water-use species, 251–52; plant lists, 263, 424–26; shade-tolerant species, 173, 399
- growing seasons, 81
- growth-regulating herbicides, 149
- grubworms, 163, 174, 289
- guano, 89, 114, 115; nitrogen content of, 90, 116
- gulf fritillary butterfly, 277
- gulf muhly (*Muhlenbergia capillaris*), 384
- gum: black (*Nyssa sylvatica*), 325; sweet (*Liquidambar styraciflua*), 326
- Gymnocladus dioica*, 326
- ### H
- hackberry (*Celtis occidentalis*), 325
- Hamelia patens*, 227, 251, 352
- Handbook of Herbs* (Brooklyn Botanical Garden), 177
- hand-held spreader, 216
- hand pulling weeds, 127, 145, 205
- hand shears, 78, 79, 451
- hard freeze, defined, 80
- hardiness zones. *See* USDA hardiness zone map
- Harlow, Marsha Murray, 408
- Havahart Spray Away ScareCrow, 281
- hawthorn, Indian (*Raphiolepis indica*), 380, 459
- heat stress symptoms, 289
- heat-tolerance, 24, 226
- heat-tolerant plants, 226–28
- Hedera helix*, 423, 425
- hedges, 77–78, 297, 428–29
- hedge shears, 79
- Helianthus maximiliani*, 354, 359
- Hemerocallis* sp., 352
- herb gardens, 157, 178–79; . *See also* herbs
- herbicides, 148–52, 214; application precautions for, 146, 148, 152, 188, 216; formulations of, 148–49; glyphosate, 149, 150, 152; for grassbur control, 147; organic, 146, 149, 152; for poison ivy control, 313; pre-emergence, 93, 149, 209, 231, 290, 373, 404; types of, 149, 152; weed-and-feed products, 151; . *See also* pesticides
- herbs, 177–86; cooking with fresh vs. dried, 181; cultural requirements, 179–80; deer-resistance, 283–84; fertilization, 140, 180; growing location, 178–79; harvesting, drying, and freezing, 181, 182; as ornamentals, 374; planting, 43, 94, 179, 257; plant selection, 177–78, 181–86; . *See also* names of specific herbs, *e.g.*, thyme
- heritage roses. *See* old-fashioned roses
- Hesperaloe parvifolia*, 251, 458
- hibiscus: Confederate rose (*Hibiscus mutabilis*), 352; hardy (*Hibiscus* spp.), 227, 262, 353; tricolor (*Hibiscus tiliaceus*), 265; tropical (*Hibiscus* spp.), 264
- Hibiscus mutabilis*, 352
- Hibiscus syriacas*, 319, 460
- Hibiscus tiliaceus*, 265
- hickory, Texas (*Carya texana*), 321
- Hill, Madalene, 177
- Hinckley's columbine (*Aquilegia chrysantha hinckleyana*), 352
- Hippeastrum* spp., 435–36, 435, 442–44
- hoeing, 127, 145, 205
- holiday plants, 434–39; . *See also* names of specific plants, *e.g.*, poinsettia
- holly: American (*Ilex opaca*), 379, 461; Burford (*Ilex cornuta burfordii*), 379, 459; Chinese dwarf (*Ilex cornuta rotunda*), 459; Foster's, 379; needlepoint, 380; 'Nellie R. Stevens' (*Ilex aquifolium* x *I. cornuta*), 380, 461; possumhaw (*Ilex decidua*), 380, 462; yaupon (*Ilex vomitoria*), 380, 458, 462
- holly fern (*Cyrtomium falcatum*), 425, 458
- honeybees, 212
- honeydew, 120, 299
- honeydew melon, 130
- honey locust (*Gleditsia triacanthos*), 325
- honey mesquite (*Prosopis glandulosa*), 250, 321, 324

Index to *Doug Welsh's Texas Garden Almanac*, Texas A&M Press, 2007

- honeysuckle: coral (*Lonicera sempervirens*), 422; winter (*Lonicera fragrantissima*), 98–99
- hormonal herbicides, 149
- horse apple. *See* Osage orange
- horse mint (*Monarda citriodora*), 359
- hose-end sprayers, 215
- hose-end sprinklers, 106, 331
- Hosta* spp., 353
- houseplants: acclimatizing, 375; basic care of, 439; dish gardens, 271–72; fertilization, 189; holiday plants, 434–39; light requirements, 189, 405; spring care, 140, 189; vacation care, 279; winter care, 44, 94, 429–30, 467; . *See also names of specific plants, e.g., amaryllis*
- huisache (*Acacia farnesiana*), 250, 319, 321, 324
- hummingbirds, 234
- hyacinth bean (*Dolichos lablab, Lablab purpureus*), 136, 263, 420, 423
- hyacinths, 365
- hybrid roses, 6–7, 9, 13
- hybrid tea roses, 6, 9
- Hydrangea* spp., 459
- hydrogels, 272
- hydromulch, 169–70
- Hymenocallis* spp., 265, 356
- I
- IBDU (isobutylidene urea), 114, 115, 116
- Ilex aquifolium* x *I. cornuta*, 380, 461
- Ilex cornuta burfordii*, 379, 459
- Ilex cornuta rotunda*, 459
- Ilex decidua*, 380, 462
- Ilex opaca*, 379, 461
- Ilex vomitoria*, 380, 462
- Ilex vomitoria nana*, 458
- impatiens, 48, 56
- imported fire ants. *See* fire ants
- inchworms, 405
- Indian blanket (*Gaillardia* ssp.), 252, 353, 359
- Indian grass (*Sorghastrum nutans*), 384
- Indian hawthorn (*Raphiolepis indica*), 380, 459
- Indian paintbrush (*Castilleja indivisa*), 359
- indigo spires (*Salvia* sp.), 354
- indoxacarb (Once and Done! Fire Ant Killer), 158
- inflorescence type, 344, 345
- inland sea oats (*Chasmanthium latifolium*), 384
- inorganic mulches, 59, 61
- insecticidal soap, 207
- insecticides, 214; chemical insecticides, 12, 128, 210–12; disposal, 212, 216; labeling, 210, 214–15, 215; names of common, 12, 128; toxicity of, 210–11, 214–15, 217; for vegetable gardens, 128; . *See also* organic insecticides; pesticides; *names of specific products, e.g., neem oil*
- insect management: annuals, 53; fruits, 140, 189; lawns, 174–75; plums and peaches, 37; roses, 12; vegetable gardens, 128; . *See also* integrated pest management
- insects: beneficial species, 194, 195, 206–7;
- insects (*cont.*): common pests, 200–201; damage by, 194; identification of, 193–94; . *See also names of specific insects, e.g., aphids*
- integrated pest management (IPM): biological and natural control methods, 206–10; chemical control methods, 210–12; cultural practices, 204–5; mechanical control methods, 205–6; overview, 203–4
- invasive species, 383
- IPM. *See* integrated pest management
- Ipomoea quamoclit*, 135, 423
- Ipomopsis rubra*, 359
- iris: *Iris* spp., 264, 354; butterfly/African (*Moraea iridioides, Dietes iridioides*), 264, 354; Louisiana, 264
- Irish potato, 124, 131, 133
- iron chlorosis, 118, 197, 289
- irrigation: of annuals, 52, 221, 248; for cold protection, 370; of crape myrtle, 298; determining how long to water, 103–5; determining when to water, 102–3, 243–44; of herbs, 180; of lawns, 102–5, 170–71, 176, 242–43, 253–54, 256, 332–33; of perennials, 248, 348; of roses, 14, 307; and salt accumulation, 331–32; of shrubs, 244, 248, 256; time of day, 333; of trees, 244, 248, 256, 318–19, 368; of vegetable gardens, 102, 127; water conservation and, 243–44, 253–54; . *See also* irrigation systems; watering
- irrigation schedule: fall, 372–73, 404; spring, 138–39, 187; summer, 221, 255, 288; winter, 42, 43, 92–93, 428, 467
- irrigation systems: audit of, 63–64; determining water output of, 103–5; inspection of, 62–63, 245; installation of, 65–67; water conservation and, 105–6, 108; zoning of plants, 247–48; . *See also* drip irrigation
- isobutylidene urea (IBDU), 114, 115, 116
- Italian jasmine (*Jasminum humile*), 99, 461
- Italian stone pine (*Pinus pinea*), 250, 326
- ivy: Boston (*Parthenocissus tricuspidata*), 422; English (*Hedera helix*), 423, 425; fig (*Ficus pumila repens*), 423
- Ivy Block lotion, 309
- J
- Japanese aralia (*Fatsia japonica*), 459
- Japanese barberry (*Berberis thunbergii*), 380, 459
- Japanese black pine (*Pinus thunbergii*), 324
- Japanese boxwood (*Buxus japonica*), 460
- Japanese persimmon (*Diospyros kaki*), 35–36, 324
- Japanese wisteria (*Wisteria floribunda*), 98
- jasmine: Asiatic (*Trachelospermum asiaticum*), 425; Confederate (*Trachelospermum jasminoides*), 136, 422, 425; Italian (*Jasminum humile*), 99, 461; primrose (*Jasminum primulinum*), 99; primrose (*Jasminum mesnyi*), 460
- Jasminum humile*, 99, 461
- Jasminum mesnyi*, 460
- Jasminum primulinum*, 99
- Jerusalem thorn. *See* palo verde (*Parkinsonia aculeata*)
- jessamine, Carolina (*Gelsemium sempervirens*), 98, 422
- Johnny-jump-up, 54

Index to *Doug Welsh's Texas Garden Almanac*, Texas A&M Press, 2007

- jonquils, 365
Joseph's coat, 55
Juglans microcarpa, 321
Juglans nigra, 325
jump cut, 71–72, 73
Junior Master Gardener Program, 137, 450
juniper: Ashe (*Juniperus ashei*), 321; 'Sea Green' (*Juniperus chinensis* 'Sea Green'), 461; trailing (*Juniperus* spp.), 426
Juniperus ashei, 321
Juniperus chinensis, 461
Juniperus virginiana, 323
Justicia brandegeana, 355
- K**
- kale, 54, 130
Kentucky bluegrass (*Poa protensis*), 160, 167, 169, 172, 175
Kentucky coffee tree (*Gymnocladus dioica*), 326
Koeleruteria paniculata, 319, 324
kohlrabi, 124, 133
- L**
- labels, pesticide, 210, 214–15, 215
Lablab purpureus, 263, 420, 423
lace bark elm (*Ulmus parvifolia*), 326
lacewings, 195
Lacey oak (*Quercus laceyi*), 321, 324
Lady Banksia rose (*Rosa banksia*), 99, 423
lady beetles (ladybugs), 195, 195, 299
Lagerstroemia spp.. See crape myrtle
landscape architects/designers, 388–89, 390
landscape beds. See flower borders
landscape design. See garden design
landscape water use, 236–38; . See also irrigation; water conservation
Lantana spp., 227, 263, 264, 354
larkspur, 51, 54
laurel, sweet bay (*Laurus nobilis*), 185
Laurus nobilis, 185
lawns, 159–76; aeration of, 173–74; establishment of, 168–71; fall care, 373–74, 404; fertilization, 113–18, 171, 188, 373, 400–401; grass selection, 159–60; irrigation, 102–5, 170–71, 176, 242–43, 253–54, 256, 332–33; maintenance, 171–74; mowing, 145, 164–65, 171–73, 245, 254, 256; overseeding, 374, 404; pest and disease control, 163, 174–75, 256, 289; spring care, 139, 188; summer care, 222–23, 256–57, 289, 332–33; under trees, 173; vacation care, 278; water conservation and, 242–43, 253–54; water stress symptoms, 102, 222, 244; weed-and-feed products for, 151; weed control, 145, 147, 151, 174; winter care, 43, 94, 429, 467; . See also names of specific grasses, e.g., centipedegrass
leaf-footed bugs, 223
leaf spot, 201, 201
leaves, uses for, 393–95
lemon grass (*Cymbopogon* sp.), 384
lesions (spots), 197
lettuce, 124, 130, 133
Leucophyllum spp., 242, 251, 460
Liatrus pycnostachya, 359
light intensity, 24; . See also sun exposure
lights, for cold protection, 370
ligustrum, wax leaf, 380
lilac (*Syringa vulgaris*), 461
lily: daylily (*Emmercallis* sp.), 352; deer-resistant species, 283; rain (*Zephyranthes* spp.), 251, 355; spider (*Hymenocallis* spp.), 265, 356
d-limonene, 209
Lindheimer muhly (*Muehlenbergia lindheimeri*), 384
Liquidambar styraciflua, 326
liquid herbicides, 148–49
liquid pesticides, 213
liriope (*Liriope muscari*), 426; giant (*Liriope gigantea*), 458
Lirodendron tulipifera, 327
little bluestem (*Schizachyrium scoparium*), 384
live oak: (*Quercus virginiana*), 314, 326;
Monterrey/Mexican (*Quercus polymorpha*), 321, 326;
plateau (*Quercus fusiformis*), 321
loam, 16
loblolly pine (*Pinus taeda*), 326
locally-grown produce, 218–20, 257, 429
locust, honey (*Gleditsia triacanthos*), 325
Lolium spp., 160, 168, 169, 172, 206, 374, 467
long-term planning, 411
Lonicera fragrantissima, 98–99
Lonicera sempervirens, 422
lopping shears, 79
Loropetalum chinensis rubrum, 460
Louisiana iris (*Iris* spp.), 264
love grass, weeping (*Eragrostis curvula*), 384
low-maintenance landscape design, 453–54
low-water-use plants, 249–52
Lupinus spp., 41, 55, 359, 360–63, 360
- M**
- Maclura pomifera*, 321, 324
magazines, 450
magnolia: 'Little Gem' (*Magnolia grandiflora* 'Little Gem'), 319, 319; southern (*Magnolia grandiflora*), 319, 319, 326; tulip/saucer (*Magnolia soulangiana*), 101, 319
Magnolia grandiflora, 319, 319, 326
Magnolia soulangiana, 101, 319
Mahonia trifoliata, 379, 460
maiden grass (*Miscanthus sinensis* 'Gracillimus'), 384
malathion, 128
Malus spp., 321, 323
Malvaviscus arboreus, 356, 398
Mandevilla spp., 136, 263, 423
Manihot esculenta, 265
manzanita (*Ehretia anacua*), 325
maple, southern/Texas sugar (*Acer barbatum*), 326
maps: average annual rainfall, 241; chilling hours, 29; first fall freeze, 86; hardiness zones, 87; last spring freeze, 85;

Index to *Doug Welsh's Texas Garden Almanac*, Texas A&M Press, 2007

- maps (*cont.*): tree adaptation, 322
marigold, 51, 56, 227
marigold, Mexican mint (*Tagetes lucida*), 178, 183, 354
Master Gardeners, 136–37, 450, 471
maturity dates for vegetable crops, 124
Maximilian sunflower (*Helianthus maximiliani*), 354, 359
mealy cup sage (*Salvia farinacea*), 351, 359
mechanical pest control methods, 205–6
Mediterranean fan palm (*Chamaerops humilis*), 265, 266, 267
Melampodium leucanthum, 251
Mentha spp., 184
mescal (*Agave neomexicana*), 251
mesquite, honey (*Prosopis glandulosa*), 250, 321, 324
methoxychlor, 128
Mexican bird of paradise (*Caesalpinia mexicana*), 251, 265
Mexican buckeye (*Ungnadia speciosa*), 100, 319, 321, 324
Mexican bush sage (*Salvia leucantha*), 228, 338, 354
Mexican fan palm (*Washingtonia robusta*), 265, 267
Mexican feather grass (*Stipa tenuissima*), 384
Mexican grass tree (*Nolina longifolia*), 251
Mexican hat (*Ratibida columnaris*), 359
Mexican heather, 56
Mexican live oak (*Quercus polymorpha*), 321, 326
Mexican mint marigold (*Tagetes lucida*), 178, 183, 354
Mexican oleander (*Cuphea micropetala*), 352
Mexican oregano (*Poliomintha longiflora*), 177, 178, 184, 354
Mexican petunia (*Ruellia* sp.), 426
Mexican plum (*Prunus mexicana*), 100, 319, 321, 324, 380
Mexican rain lily (*Zephyranthes citrine*), 251
Mexican redbud (*Cercis canadensis* var. *mexicana*), 100, 319, 321, 324
microorganisms, soil, 17
microsprinklers, 109
mildew, 196–97, 201, 201
mint (*Mentha* spp.), 184
miscanthus 'Cabaret' (*Miscanthus sinensis* 'Cabaret'), 385
Miscanthus sinensis, 384, 385
miticides, 214
mixed-grass lawns, 164
monarch butterfly, 273, 334
Monarda citriodora, 359
mondo grass (*Ophiopogon japonicus*), 426
monkey grass (*Ophiopogon japonicus*), 426
Monterrey live oak (*Quercus polymorpha*), 321, 326
Montezuma cypress (*Taxodium mucronatum*), 321, 326
monthly tips. *See* timely tips
moon vine, 56
Moraea iridioides. *See* *Diets iridioides*
morning glory, 56, 136
mosaic, 197, 202
moss pink (*Phlox subulata*), 356
moss rose, 56, 227
mound treatment, for fire ants, 156–57, 158, 289
mountain laurel, Texas (*Sophora secundiflora*), 99, 251, 319, 321, 325, 462
mowers, 172, 223, 451, 466
mowing: during drought, 245, 254; of fallen leaves, 394; guidelines for, 171–73, 256; of newly established lawns, 171; in weed control, 145; of zoysiagrass, 164–65
MSMA, for grassbur control, 147
Muehlenbergia lindheimeri, 384
Muhlenbergia capillaris, 384
Muhlenbergia dumosa, 383
Muhlenbergia schreberi, 385
muhly: bamboo (*Muhlenbergia dumosa*), 383; gulf/coastal (*Muhlenbergia capillaris*), 384; Lindheimer (*Muehlenbergia lindheimeri*), 384
mulch: for annuals, 52; benefits of, 58–59, 411; calculating amount to buy, 61; for cold protection, 369–70; fallen leaves for, 394; for fruit and nut trees, 30; guidelines for, 59–61; for herbs, 180; materials for, 42, 59, 61; for roses, 14, 307; for trees, 60, 145–46, 187; for vegetable gardens, 61, 128, 394–95; water conservation and, 245; in weed control, 145–46; . *See also* organic matter
multicycling of irrigation systems, 105
Musa spp., 264
muscadine grapes, 35
mustard greens, 124, 130, 133
Myrica cerifera, 380, 462
- ## N
- Nandina* spp., 380, 458
Nanking cherry (*Prunus tomentosa*), 324
narcissus, 365
native plants: for attracting birds, 229–30, 232, 234; grasses, 232, 382, 383–85; in xeriscaping, 242; . *See also* wildflowers
natural pest control methods. *See* organic herbicides; organic insecticides
nectarines, 37
needle palm (*Rhapidophyllum hystrix*), 265, 267–68
neem oil, 128, 208–9, 256
'Nellie R. Stevens' holly (*Ilex aquifolium* x *I. cornuta*), 380, 461
nematodes, 206
Nerium oleander, 265, 462
nest boxes, 232–33
netting, 223, 230
New Year's resolutions, 463–64
nicotiana (flowering tobacco), 56
nicotine, 208
night temperatures, and heat tolerance, 24, 226
nimblewill (*Muhlenbergia schreberi*), 385
nitrogen, 89, 90, 114, 116
Nolina bigelovii, 251
Nolina longifolia, 251
Nolina microcarpa, 251
nonselective herbicides, 149, 152; . *See also* glyphosate
Norfolk Island pine (*Araucaria heterophylla*), 437–38, 437

Index to *Doug Welsh's Texas Garden Almanac*, Texas A&M Press, 2007

nurseries: Brent and Becky's Bulbs, 365; ornamental grass sources, 382; Southern Bulb Co., 365; Texas Nursery and Landscape Association, 472; Wildseed Farms, 359; Womack Nursery Co., 33
 nut grass, 19–20, 145, 149, 169
 nutrient absorption, 17, 23
 nutrient analysis, of fertilizers, 89
 nutrient deficiency, signs of, 23
 nuts: ease of growing, 27; pecan varieties, 33–34; pollination, 28–29; purchasing and planting, 30–31; soil requirements, 27–28; time until harvest, 27
 nut sedge, 19–20, 145, 149, 169
Nyssa sylvatica, 325

O

oak: bur (*Quercus macrocarpa*), 321, 325; chinquapin (*Quercus muehlenbergii*), 321, 325; Lacey (*Quercus laceyi*), 321, 324; live (*Quercus virginiana*), 314, 326; Monterrey/Mexican live (*Quercus polymorpha*), 321, 326; plateau live (*Quercus fusiformis*), 321; Shumard (*Quercus shumardii*), 326; Texas red (*Quercus texana*), 327; water (*Quercus nigra*), 327
 oak-wilt resistant trees, 320–21
Ocimum basilicum, 182–83
 ocotillo (*Fouquieria splendens*), 25
Oenothera speciosa, 359
 oil formulation pesticides, 214
 okra, 124, 130, 133
 old-fashioned roses, 7–8, 10, 13
 old garden roses. *See* old-fashioned roses
 oleander, (*Nerium oleander*), 265, 462; Mexican (*Cuphea micropetala*), 352
 olive, wild (*Corida boissieri*), 319, 325
 Once and Done! Fire Ant Killer (indoxacarb), 158
 onions, 131, 133
Ophiopogon japonicus, 426
Opuntia spp., 251
 orange, Osage (*Maclura pomifera*), 321, 324
 orange oil, 209
 oranges, 32
 oregano (*Origanum vulgare*), 177, 178, 184; Mexican (*Poliomintha longiflora*), 177, 178, 184, 354
 organic fertilizers, 89, 115, 116
 organic fungicides, 209–10
 organic gardening, integrated pest management and, 203, 206–10
 organic herbicides, 146, 149, 152
 organic insecticides: for fire ant control, 155, 156, 157; list of products, 12, 207–10; toxicity of, 210; for vegetable gardens, 128; . *See also* names of specific products, e.g., neem oil
 organic matter, 17–18, 19, 20; . *See also* mulch
 organic mulches, 59, 61
Origanum vulgare, 177, 178, 184
 ornamental berry shrubs, 77, 379–80
 ornamental grasses, 138, 283, 381–85, 387, 403

Orthene (acephate), 157, 211
 Osage orange (*Maclura pomifera*), 321, 324
 overfertilization, 409
 Over 'n Out! (fipronil), 158
 overwatering, 25, 246, 409

P

palm: California fan (*Washingtonia filifera*), 265, 267; Canary Island date (*Phoenix xanariensis*), 266, 267; cold-hardy species, 188, 265–68; Mediterranean fan (*Chamaerops humilis*), 265; Mexican fan (*Washingtonia robusta*), 265, 267; pindo (*Butia capitata*), 265, 268; pygmy date (*Phoenix roebelenii*), 265, 268; sago (*Cycas revoluta*), 265, 268; Texas sabal (*Sabal texana*, *S. mexicana*), 265, 268; windmill (*Trachycarpus fortunei*), 265, 268
 palmetto: cabbage (*Sabal palmetto*), 265, 267; dwarf (*Sabal minor*), 265, 267, 459; Texas (*Sabal texana*, *S. mexicana*), 265, 268
 palo verde (*Parkinsonia aculeata*), 250, 319, 321, 324
 pampas grass (*Cortaderia selloana*), 385
 paniced golden raintree (*Koelreuteria paniculata*), 319, 324
Panicum virgatum, 385
 pansy, 48, 54
 parasitic insects, 195, 206–7
Parkinsonia aculeata, 250, 319, 321, 324
 parsley (*Petroselinum crispum*), 133, 184
Parthenocissus quinquefolia, 312, 312, 423
Parthenocissus tricuspidata, 422
 paspalum, seashore, 160
Passiflora incarnata, 277
 passionflower vine (*Passiflora incarnata*), 277
Pavonia lasiopetala, 355
 pea, 131, 133
 peaches, 27, 29, 30, 37–40
 pear, prickly (*Opuntia* spp.), 251
 pears (*Pyrus calleryana*), 27, 30, 33; 'Aristocrat', 100, 323
 pecan (*Carya illinoensis*), 27, 28–29, 30, 33–34, 321, 326; . *See also* nuts
Pennisetum setaceum, 385
Penstemon spp., 251
 pepper, 124, 131, 133
 peppermint (*Mentha piperita*), 184
 pepper vine (*Ampelopsis arborea*), 312, 312
 "perennials", 48, 343
 perennial border, 343–46, 349
 perennial garden phlox (*Phlox paniculata*), 227, 355
 perennial pink (*Dianthus* spp.), 355
 perennials, 341–56; color design and, 348–50; culture of, 346–48; deer-resistant species, 283–84; division of, 138, 348, 372; fertilization, 138, 187, 348; freeze damage, 427; heat-tolerant species, 227–28; irrigation of, 248, 348; landscaping guidelines for, 342–46; low-water-use species, 251–52; plant list, 351–56; pruning, 41, 346–47; renaissance of, 341–52; shade-tolerant species, 399
 perennial verbena (*Verbena* spp.), 228, 356

Index to *Doug Welsh's Texas Garden Almanac*, Texas A&M Press, 2007

- perennial weeds, 148
periwinkle, 51, 137, 197, 227
persimmon, 27, 29, 30, 35–36; Japanese (*Diospyros kaki*), 324; Texas (*Diospyros texana*), 319, 321, 380, 462
pesticides: application equipment, 215–16; application methods, 214; chemical pesticides, 210–12; disposal, 212, 216; first aid, 217; formulations of, 213–14; labeling, 210, 214–15, 215; misuse of, 409; natural pesticides, 207–10; overuse of, 204; poisoning by, 217; regulation of, 413; safety tips, 11, 212, 216; toxicity of, 210–11, 214–15, 217; types/functions of, 214; in vegetable gardens, 128–29; . *See also* fungicides; herbicides; insecticides
pest management. *See* insect management; integrated pest management; weed control
Petroselinum crispum, 133, 184
petunia, 48, 56, 227, 378
philodendron, split-leaf (*Philodendron selloum*), 460
Philodendron selloum, 460
phlox: Drummond (*Phlox drummondii*), 359; perennial garden (*Phlox paniculata*), 227, 355
Phlox drummondii, 359
Phlox paniculata, 227, 355
Phlox subulata, 356
Phoenix roebelenii, 265, 268
Phoenix xanariensis, 265, 266, 267
pH of soil, 17, 18–19
phosphorus, 89, 114
photinia: Chinese (*Photinia serrulata*), 379, 461; red tip (*Photinia x fraseri*), 461
Photinia serrulata, 379, 461
Photinia x fraseri, 461
photosynthesis, 21–22
physical barriers, in pest management, 206, 223, 230
phytotoxicity, 210
Picea pungens, 325
Pierce's disease, 35
pill bugs, 223
pindo palm (*Butia capitata*), 265, 268
pine: Austrian black (*Pinus nigra*), 325; Italian stone (*Pinus pinea*), 250, 326; Japanese black (*Pinus thunbergii*), 324; loblolly (*Pinus taeda*), 326; Norfolk Island (*Araucaria heterophylla*), 437–38, 437; Ponderosa (*Pinus ponderosa*), 326; slash (*Pinus elliottii*), 324
pine topiaries, 437
pink, perennial (*Dianthus* spp.), 355
pink lady euonymus (*Euonymus bungeanus*), 324
Pinus eldarica, 323
Pinus elliottii, 324
Pinus nigra, 325
Pinus pinea, 250, 326
Pinus ponderosa, 326
Pinus taeda, 326
Pinus thunbergii, 324
pistache: Chinese (*Pistacia chinensis*), 323; Texas (*Pistacia mexicana*), 321
Pistacia chinensis, 323
Pistacia mexicana, 321
Pithecellobium flexicaule, 325
pittosporum (*Pittosporum tobira*), 461; dwarf (*Pittosporum tobira wheeleri*), 458
plains coreopsis (*Coreopsis tinctoria*), 359
plant hardiness zones. *See* USDA hardiness zone map
planting: annuals, 50–52; in fall, 339; fruit and nut trees, 30–31; herbs, 43, 94, 179, 257; perennials, 347–48; roses, 11; shrubs, 43, 139; timing of, 411; trees, 43, 139, 319, 367–68; vegetables, 125–26, 133
plant physiology, 21–25
plant problem diagnosis, 192–93, 409–10; . *See also* cultural practices; disease management; insects
plants: frost/freeze effects on, 80; proper site placement of, 410; resistant/adapted species, 205, 410
plastic mulches, 61
Platanus occidentalis, 321, 326
plateau live oak (*Quercus fusiformis*), 321
playhouse, teepee, 135–36
plumbago (*Plumbago auriculata*), 227, 355
plums: American (*Prunus americana*), 323; edible, 27, 30, 37–40; Mexican (*Prunus mexicana*), 100, 319, 321, 324, 380
Poa arachnifera, 167, 385
Poa protensis, 160, 167, 169, 172, 175
pocket plantings, 343
poinsettia (*Euphorbia pulcherrima*), 434–35, 434, 447–49
Poison Control Network telephone number, 217
poisoning, 217; . *See also* toxicity
poison ivy/oak/sumac: eradication of, 310, 313; identification of, 309, 311–12, 311; post-exposure treatment, 309; protective lotion for, 310; rash treatment, 309–10; toxic substance in, 308–9
pole pruners, 79
Poliomintha longiflora, 177, 178, 184, 354
pollination of fruits and nuts, 28–30
pomegranate (*Punica granatum*), 380, 461
Ponderosa pine (*Pinus ponderosa*), 326
poplar, tulip (*Liriodendron tulipifera*), 327
poppy, 51, 54
porcupine grass (*Miscanthus sinensis 'Strictus'*), 385
portulaca, 56, 227
possumhaw holly (*Ilex decidua*), 380, 462
post-emergence herbicides, 149
potassium bicarbonate (Remedy), 209–10
potassium/potash, 89, 114
potato: Irish, 124, 131, 133; sweet, 124, 132, 133
potting soil, 272, 413
powdered pesticides, 213–14
powdery mildew: crape myrtles, 299; roses, 13, 13
prairie flame sumac (*Rhus trilobata*), 251
prairie gardens, 386–87
praying mantids, 195, 207
predatory insects, 195, 206–7

Index to *Doug Welsh's Texas Garden Almanac*, Texas A&M Press, 2007

- pre-emergence herbicides, 93, 149, 209, 373, 404; for prevention of bird seed germination, 231, 290
prickly pear (*Opuntia* spp.), 251
pride of Barbados (*Caesalpinia pulcherrima*), 251, 265
primrose jasmine (*Jasminum primulinum*), 99
primrose jasmine (*Jasminum mesnyi*), 460
produce, locally grown, 218–20, 257, 429
propagation: of crape myrtle, 300, 302; by cuttings, 415–18
Prosopis glandulosa, 250, 321, 324
protective clothing, 216
pruning, 68–79; after cold damage, 370; benefits of, 68; of crape myrtle, 300–301; equipment for, 78, 79, 451; of fruit and nut trees, 30–31; guidelines for, 70–73; of hedges, 77–78; light vs. heavy cuts, 75; perennials, 41, 346–47; planning for, 69; of plums and peaches, 37, 40; precautions for, 68–69; of roses, 13–14, 306–7, 332; of shrubs, 70, 71, 75–77, 188; timing of, 76–77, 93; of trees, 70–75, 188
pruning paint, 72
pruning saws, 79
pruning shears, 78, 79, 451
Prunus americana, 323
Prunus caroliniana, 323, 461
Prunus mexicana, 100, 319, 321, 324, 380
Prunus tomentosa, 324
pumpkin, 124, 131, 133, 137, 333
pump-up sprayers, herbicide use in, 149, 215
Punica granatum, 380, 461
purple coneflower (*Echinacea purpurea*), 355
purple fountain grass (*Pennisetum setaceum* 'Rubrum'), 385
purple heart (*Setcreasea pallida*), 263
purple martins, 334
purslane, 57, 227
pygmy date palm (*Phoenix roebelenii*), 265, 268
pyracantha (*Pyracantha coccinea*), 99, 380
pyrethrum/pyrethrin, 207–8
Pyrus calleryana 'Aristocrat', 100, 323
- ### Q
- queen's wreath (*Antigonon leptopus*), 263, 422
Quercus fusiformis, 321
Quercus laceyi, 321, 324
Quercus macrocarpa, 321, 325
Quercus muehlenbergii, 321, 325
Quercus nigra, 327
Quercus polymorpha, 321, 326
Quercus shumardii, 326
Quercus texana, 327
Quercus virginiana, 314, 326
quick-release fertilizers, 114–15
Quisqualis indica, 263, 423
- ### R
- Rabbiteye blueberries, 31–32
radish, 124, 131, 133
rainfall, average annual, 240, 241
rain lily (*Zephyranthes* spp.), 251, 355
raised beds, 28
Rangoon creeper (*Quisqualis indica*), 263, 423
Raphiolepis indica, 380, 459
raspberries, 31
Ratibida columnaris, 359
ready-to-use liquid pesticides, 148, 150, 213, 216
red bird of paradise. *See* pride of Barbados
red buckeye (*Aesculus pavia*), 319, 321, 324
redbud: eastern (*Cercis canadensis*), 100, 319, 324; Mexican (*Cercis canadensis* var. *mexicana*), 100, 319, 321, 324; Texas (*Cercis canadensis* var. *texensis*), 101, 101, 321, 324
red imported fire ants. *See* fire ants
red oak, Texas (*Quercus texana*), 327
red tip photinia (*Photinia x fraseri*), 461
red yucca (*Hesperaloe parvifolia*), 251, 458
Remedy (potassium bicarbonate), 209–10
resources, 471–72; . *See also* nurseries
respiration, 22
retama. *See* palo verde (*Parkinsonia aculeata*)
'Reveille' bluegrass, 160, 167–68, 172
Rhapidophyllum hystrix, 265, 267–68
rhizomes, 160
Rhododendron spp., 99, 459
Rhus trilobata, 251
Riffle, Robert Lee, 262
river birch (*Betula nigra*), 326
river fern (*Thelypteris kunthii*), 426
rock rose (*Pavonia lasiopetalata*), 355
root pruning, 396
Rosa banksia, 99, 423
rose (*Rosa*): climbing roses, 9, 13, 99, 423; fertilization, 14, 307; hybrid varieties, 6–7, 7, 9, 13; insect and disease management, 11–13, 222; landscape uses, 460; long-term care, 14; old-fashioned varieties, 7–8, 8, 10, 13; plant selection, 6–9; pruning, 13–14, 306–7, 332; site selection, 9; soil preparation and planting, 9–11; summer care, 306–7, 332
rosemary (*Rosmarinus officinalis*), 184–85, 252, 355, 458; prostrate, 185, 426; topiaries, 436–37, 436
Rosmarinus officinalis. *See* rosemary
rot, 197, 202, 202
rotenone, 208
Rudbeckia hirta, 359
Rudbeckia sp., 355
Ruellia sp., 426
Russian olive (*Elaeagnus angustifolia*), 462
rusty blackhaw (*Viburnum rufidulum*), 321, 380
rye, Canada wild (*Elymus canadensis* var. *canadensis*), 383
ryegrass (*Lolium* spp.), 160, 168, 169, 172; Elbon cereal, 206, 467; overseeding of lawns, 374, 404
- ### S
- sabadilla, 208
Sabal mexicana, 265, 268

Index to *Doug Welsh's Texas Garden Almanac*, Texas A&M Press, 2007

- Sabal minor*, 265, 267, 459
Sabal palmetto, 265, 267
Sabal texana, 265, 268
SAD (St. Augustine decline), 163, 202
safety tips, pesticides, 216–17
sage: autumn (*Salvia greggii*), 228, 251, 252, 351; herb (*Salvia officinalis*), 185; mealy cup (*Salvia farinacea*), 351, 359; Mexican bush (*Salvia leucantha*), 228, 338, 354; Texas (*Leucophyllum* spp.), 242, 251, 460
sago palm (*Cycas revoluta*), 265, 268
saguaro, Argentina (*Trichocereus terscheckii*), 250
salt accumulation, 331–32
salvia (*Salvia* spp.), 57, 227–28, 252, 351, 354
Salvia clevelandii, 252
Salvia farinacea, 351, 359
Salvia greggii, 228, 251, 252, 351
Salvia leucantha, 228, 338
Salvia officinalis, 185
sandy loam, 16
sandy soils, 17
sanitation, in disease control, 205
Santolina spp., 426
Sapindus drummondii, 324
satsumas, 32–33
saucer magnolia (*Magnolia soulangiana*), 101, 319
sawdust mulch, 59
saw grass (*Nolina microcarpa*), 251
saws: chain, 79; pruning, 79
scaevola, 227
ScareCrow, 281
scarlet firethorn (*Pyracantha coccinea*), 99, 380
scarlet runner beans, 136
Schizachyrium scoparium, 384
Schlumbergera bridgesii, 436, 436, 445–46
screening: shrubs for, 428–29; trees for, 320
Scutellaria suffrutescens, 355
sea oats, inland (*Chasmanthium latifolium*), 384
seashore paspalum, 160
sedges (*Carex* spp.), 384
Sedum, 351
seed: for children's projects, 137; growing annuals from, 51, 52; growing vegetables from, 126–27; lawn establishment with, 169–70
seedling pecan trees, 33
selective herbicides, 149
self-fruitful vs. self-unfruitful varieties, 28, 29–30
Setcreasea pallida, 263
Sevin (carbaryl), 128
shade-tolerant plants, 173, 398–99
shade trees, 320, 323–27
Shasta daisy (*Chrysanthemum maximum*), 355
shearing, 71
Shigo method of limb pruning, 71, 72
shrimp plant (*Justicia brandegeana*), 355
shrubs, 455–62; berry-bearing, 77, 379–80; deer-resistant species, 282–83; early spring bloomers, 99; shrubs (*cont.*): fertilization, 88–91, 318; irrigation, 244, 248, 256; judging growth of, 88; in landscape design, 391, 455–56; low-water-use species, 251; planting, 43, 139; plant list, 458–62; pruning, 70, 71, 75–77, 188; selection of, 456–57; shade-tolerant species, 399; transplanting, 93, 396–97; tropical species, 264–65; weed-and-feed products for, 151
Shumard oak (*Quercus shumardii*), 326
sideoats grama (*Bouteloua curtipendula*), 381, 385
signal words, pesticide toxicity, 214–15
skullcap, Texas (*Scutellaria suffrutescens*), 355
sky flower: blue (*Thunbergia grandiflora*), 262–63, 423; Brazilian (*Duranta erecta*), 352
slash pine (*Pinus elliottii*), 324
slow-release fertilizers, 115
slugs, 53, 223
SmartScape. *See* xeriscape gardening
smoke tree, American (*Cotinus obovatus*), 100, 319, 321, 323
snails, 53, 223
snapdragon, 54; summer (*Angelonia angustifolia*), 356
soap, insecticidal, 207
soapberry (*Sapindus drummondii*), 324
society garlic (*Tulbaghia violacea*), 356, 426
sod installation, 170–71
sod webworms, 174
soft leaf yucca (*Yucca recurvifolia*), 251
soil, 18–20; drainage evaluation, 28; for fruits and nuts, 27–28; importance of, 15; improvement of, 19–20, 241–42, 393–95; organic matter in, 17–18, 19, 20; pH of, 17, 18–19; phosphorus accumulation in, 114; purchase of, 19–20, 125; texture of, 16–18
soil amendments, 19, 395, 413
soil preparation: for annuals, 51; benefits of, 145, 204, 410–11; for herbs, 179; for lawns, 169; for roses, 9–11; for vegetable gardens, 124–25
soil sterilants, 149
Soils, Water, and Forage Testing Laboratory, 16
soil tests, 16, 42, 118, 428
Solenopsis invicta. *See* fire ants
soluble powder pesticides, 213–14
sooty mold, 196, 299
Sophora affinis, 321
Sophora secundiflora, 99, 251, 319, 321, 325, 462
Sorghastrum nutans, 384
sotol (*Dasyilirion wheeleri*), 251
Southern Bulb Co., 365
Southern Herb Growing (Hill, Barclay, & Hardy), 177, 181
southern magnolia (*Magnolia grandiflora*), 319, 319, 326
southern sugar maple (*Acer barbatum*), 326
spearmint (*Mentha spicata*), 184
spider lily (*Hymenocallis* spp.), 265, 356
spider mites, 12, 12, 120, 120
spinach, 124, 132, 133
spinosad, 128, 155, 209
spirea, bridal wreath (*Spirea* spp.), 99, 459

Index to *Doug Welsh's Texas Garden Almanac*, Texas A&M Press, 2007

- split-leaf philodendron (*Philodendron selloum*), 460
sprayers: hose-end, 215; pump-up, 149, 215–16
spreaders, 117, 216
spring freeze, last, 80–81, 83–84, 85
spring growing season, 81
sprinkler heads, 66
sprinklers, hose-end, 106, 331
spruce, blue (*Picea pungens*), 325
squash, 124, 132, 133, 137
squash bug, 194
squirrels: and bird feeders, 233; crop damage by, 223; feeds for, 189; water for, 44, 95, 223, 290, 467
St. Augustine decline (SAD), 163, 202
St. Augustinegrass (*Stenotaphrum secundatum*), 160, 161, 163–64; mowing height, 172; pests and diseases, 174, 175, 256–57, 289
staking of trees, 367
standing cypress (*Ipomopsis rubra*), 359
star jasmine. *See* Confederate jasmine
Stenotaphrum secundatum. *See* St. Augustinegrass
stinkbugs, 223
Stipa tenuissima, 384
stock, 54
stolons, 160
Strelitzia reginae, 264
suckers, 69
sugar maple: southern/Texas (*Acer barbatum*), 326
sulfur, 209
sulfur-coated urea, 114, 115, 116
sumac, prairie flame (*Rhus trilobata*), 251
summer annual weeds, 146
summer snapdragon (*Angelonia angustifolia*), 356
sun exposure: for annuals, 50, 54–57; and blooming, 193; for crape myrtle, 298; for herbs, 179; for houseplants, 189, 405; plant adaptation to, 24; for vegetable gardens, 122
sunflower, 51, 57, 134–35, 137; Maximilian (*Helianthus maximiliani*), 354, 359
sweet acacia. *See* huisache
sweet bay laurel (*Laurus nobilis*), 185
sweet gum (*Liquidambar styraciflua*), 326
sweet pea, 51, 54
sweet potato, 124, 132, 133
sweet violet (*Viola odorata*), 54, 356
Swiss chard, 130, 133
switch grass (*Panicum virgatum*), 385
sycamore (*Platanus occidentalis*), 321, 326
Syringa vulgaris, 461
systemic herbicides, 152; . *See also* glyphosate
systemic insecticides, 211
systemic pesticides, 149, 214
- T**
- Tagetes lucida*, 178, 183, 354
take-all patch, 163, 175, 202
tall fescue (*Festuca arundinacea*), 160, 166–67, 169, 172
tapes, drip-irrigation, 108
tapioca, variegated, 227
taro (*Alocasia* spp.), 264
Taxodium distichum, 321, 325
Taxodium mucronatum, 321, 326
Tecoma stans, 226, 227, 251, 264, 352
teepee playhouse, 135–36
temperature, impact on plants, 24, 226
Texas A&M University System resources for gardeners, 472
Texas ash (*Fraxinus texensis*), 274, 321, 327
Texas bluegrass (*Poa arachnifera*), 167, 385
Texas buckeye (*Aesculus glabra* var. *arguta*), 319, 321, 325
Texas ebony (*Pithecellobium flexicaule*), 325
Texas-grown produce availability, 218–20, 257, 429
Texas hickory (*Carya texana*), 321
Texas mountain laurel (*Sophora secundiflora*), 99, 251, 319, 321, 325, 462
Texas Nursery and Landscape Association, 472
Texas palmetto (*Sabal texana*, *S. mexicana*), 265, 268
Texas persimmon (*Diospyros texana*), 319, 321, 380, 462
Texas pistache (*Pistacia mexicana*), 321
Texas Ranger. *See* Texas sage
Texas redbud (*Cercis canadensis* var. *texensis*), 101, 101, 321, 324
Texas red oak (*Quercus texana*), 327
Texas sabal palm (*Sabal texana*, *S. mexicana*), 265, 268
Texas sage (*Leucophyllum* spp.), 242, 251, 460
Texas skullcap (*Scutellaria suffrutescens*), 355
Texas state flower, 360–61
Texas sugar maple (*Acer barbatum*), 326
Texas walnut (*Juglans microcarpa*), 321
Texas wisteria (*Wisteria frutescens*), 98, 423
texture, in landscape design, 349, 391, 427
thatch, 173
Thelypteris kunthii, 426
theme gardens, 392
thinning: of fruit, 36–37, 40, 189; in shrub pruning, 76; in tree pruning, 72–73
Thiodan (endosulfan), 128
three-step jump cut, 71–72, 73
thrift (*Phlox subulata*), 356
thrips, 12, 12, 120–21, 120
thryallis (*Galphimia gracilis*), 265
Thunbergia grandiflora, 262–63, 423
thyme (*Thymus vulgaris*), 185–86
Thymus vulgaris, 185–86
tiger swallowtail butterfly, 274
tillers, 160
time clocks for irrigation systems, 66
timely tips: January, 41–44; February, 92–95; March, 138–40; April, 187–89; May, 221–23; June, 255–58; July, 288–90; August, 331–34; September, 372–75; October, 403–5; November, 426; December, 465–67
tomatoes, 124, 132, 133, 205, 223
tomato hornworm, 120
tools. *See* equipment

Index to *Doug Welsh's Texas Garden Almanac*, Texas A&M Press, 2007

- "Top 10 Mistakes of Texas Gardeners", 408–11
topiaries, 436–37, 436
topping of trees, 72
topsoil, 16, 19–20, 145, 169
toxicity, pesticide, 210–11, 214–15, 217
Trachelospermum asiaticum, 425
Trachelospermum jasminoides, 136, 422, 425
Trachycarpus fortunei, 265, 268
translocated herbicide, 214
transpiration, 22–23, 105
transplanting trees and shrubs, 93, 396–97
transplants: of annual flowers, 51, 52; of vegetables, 82, 126, 286–87
trap plants, 206
traps, in pest management, 206
trees, 314–30; adaptation map, 322; benefits of, 314–15, 316; for cities, 328–30; deer-resistant species, 282; drip line of, 91; for evergreen screening, 320; fall color, 419, 421; fertilization, 88–91, 318; flowering, 100–101, 319; growth cycles of, 317–18; irrigation, 244, 248, 256, 318–19, 368; judging growth of, 88; in landscape design, 315–16, 390–91; lawns/groundcovers beneath, 173; low-water-use species, 250; mulching, 60, 145–46, 187; oak-wilt resistant species, 320–21; planting, 43, 139, 319, 367–68; pruning, 70–75, 188; purchase of, 317; selection and placement of, 315–17; shade, 320, 323–27; shade-tolerant species, 399; training of, 73–75, 188; transplanting, 93, 396–97; weed-and-feed products and, 151
Trichocereus terscheckii, 250
tricolor hibiscus (*Hibiscus tiliaceus*), 265
tropical giant spider lily (*Hymenocallis* 'Tropical Giant'), 265
The Tropical Look: An Encyclopedia of Dramatic Landscape Plants (Riffle), 262
tropical plants, 262–68; with bold foliage and/or showy flowers, 264–65; groundcovers, 263; palms, 265–68; vines, 262–63
trumpet vine (*Camsis radicans*), 423
Tulbaghia violacea, 356, 426
tulip magnolia (*Magnolia soulangiana*), 101, 319
tulip poplar (*Lirodendron tulipifera*), 327
tulips, 365
turfgrass blend seed mixes, 169
turfgrasses: selection of, 159–60, 254; warm-season vs. cool-season, 160; . *See also* lawns; *names of specific grasses, e.g., centipedegrass*
turk's cap (*Malvaviscus arboreus*), 356, 398
turnip, 124, 132, 133
- U**
Ulmus crassifolia, 321, 325
Ulmus parvifolia, 326
Ungnadia speciosa, 100, 319, 321, 324
urea, 89, 90, 114, 116
urea formaldehyde, 114, 115, 116
urushiol, 308–9
- USDA hardiness zone map, 82, 84–85, 87
- V**
vacation plant care, 278–79
variegated tapioca (*Manihot esculenta*), 265
vegetable gardens, 119–33; benefits of, 121; children and, 119; cover crops, 467; crop selection for, 121–22; fall crops, 285–87, 290, 340, 374, 402; fertilization, 127, 188–89; fire ant control, 157; irrigation of, 102, 127; location selection, 122–23; minigardens, 120–21; mulching, 61, 128, 394–95; pest management, 128–29, 223, 230; plans for, 123; soil preparation, 124–25; spring tips, 140, 188–89; summer tips, 223, 257, 333; transplants vs. seeds for, 126–27, 286–87; vacation care, 279; weed control in, 127–28; winter tips, 41, 43, 94, 429, 467
vegetables: cool-season, 126, 402; fertilization, 140; locally-grown, purchasing, 219–20, 257; maturity dates for, 124; planting guidelines for, 133; selection of, 121–22; timing of planting, 125–26, 133; variety selection, 123–24, 129–32; warm-season, 125; . *See also names of specific vegetables, e.g., cucumber*
verbena, annual (*Abronia* spp.), 263
Verbena spp., 57, 228, 263, 356
viburnum, sweet, 380
Viburnum rufidulum, 321, 380
Vinca major, 426
vines, 420–26; characteristics of, 420–21; deer-resistant species, 283; early spring bloomers, 98–99; horizontal/groundcover species, 424–26; planting, 139; shade-tolerant species, 399; for teepee playhouse, 135–36; tropical species, 262–63; vertical growth species, 422–23
vinifera grapes, 35
viola (*Viola odorata*), 54, 356
viral diseases, 197, 202
Virginia creeper (*Parthenocissus quinquefolia*), 312, 312, 423
vitex (*Vitex agnus-castus*), 462
- W**
walk-behind spreader, 216
walnut: black (*Juglans nigra*), 325; Texas (*Juglans microcarpa*), 321
wandering Jew (*Setcreasea pallida*), 263
warm-season annuals, 50–51, 55–57, 227
warm-season perennials, 227–28
warm-season turfgrasses, 160; . *See also names of specific grasses, e.g., centipedegrass*
warm-season vegetables, 125
Washingtonia filifera, 265, 267
Washingtonia robusta, 265, 267
wasps, parasitic, 195
water: fertilizer pollution of, 113, 114, 118; movement of, in plants, 23; pH of, 17

Index to *Doug Welsh's Texas Garden Almanac*, Texas A&M Press, 2007

- water conservation: garden maintenance and, 245; irrigation systems and, 105–6, 108; irrigation timing and, 243–44; lawn irrigation and, 242–43, 253–54; mulching and, 58, 245; planning and design for, 239–41, 247–48; plant selection for, 242, 247–48; soil improvement and, 241–42; zoning of plants and, 247–48; . *See also* xeriscape gardening
- water-holding capacity of soil, 18
- watering. *See* irrigation; overwatering
- watermelon, 124, 132, 133
- water oak (*Quercus nigra*), 327
- water resource usage, 236–38
- water-soluble fertilizer, 89–90
- water spray, high-pressure, 206
- water sprouts, 69
- water-stress symptoms, 25, 102–3, 222, 244
- water-wise gardening. *See* xeriscape gardening
- wax myrtle (*Myrica cerifera*), 380, 462
- weather conditions, and frost formation, 80; . *See also* freeze dates; USDA hardiness zone map
- webworms, 34
- weed-and-feed products, 151
- weed barriers, plastic, 60–61
- weed control: herbicides for, 146, 147, 148–52; in lawns, 145, 147, 151, 174; strategies for, 145–46, 205; in vegetable gardens, 127–28; . *See also* herbicides
- weeds: detrimental effects of, 144, 245; identification of, 146, 148; . *See also* weed control; *names of specific weeds*, e.g., grassbur
- Welsh, Doug, 235, 408
- wettable powder pesticides, 213–14
- white gardens, 350, 392
- white grubworms, 174
- wildflowers: bluebonnet, 41, 55, 360–63, 360; culture of, 357–58; sources for, 357, 359; species selection, 359
- wildlife. *See* birds; butterflies; deer; squirrels
- wild olive (*Corida boissieri*), 319, 325
- Wildseed Farms, 359
- willow, desert (*Chilopsis linearis*), 250, 319, 321, 323
- wind, impact on plants, 24–25
- windmill palm (*Trachycarpus fortunei*), 265, 268
- wine cup (*Callirhoe involucrata*), 359
- winter annual weeds, 148
- winter chilling requirements of fruits, 28, 29
- winter hardiness. *See* USDA hardiness zone map
- winter honeysuckle (*Lonicera fragrantissima*), 98–99
- wisteria: Japanese (*Wisteria floribunda*), 98; Texas (*Wisteria frutescens*), 98, 423
- Womack Nursery Co., 33
- wood chip mulch, 59
- wood fern (*Thelypteris kunthii*), 426
- wooly butterfly bush (*Buddleia marrubifolia*), 251
- wound dressing, 72
- X
- xeriscape gardening, 235, 240, 255; . *See also* desert gardening; water conservation
- Xeriscape Gardening (Welsh)**, 235
- Y
- Yankee Flipper bird feeders, 233
- yarrow (*Achillea millefolium*), 356
- yaupon holly (*Ilex vomitoria*), 380, 462; dwarf (*I. vomitoria nana*), 458
- yellow bells (*Tecoma stans*), 226, 227, 251, 264, 352
- yew, 380
- yucca: red (*Hesperaloe parvifolia*), 251, 458; soft leaf (*Yucca recurvifolia*), 251
- Z
- zebra grass (*Miscanthus sinensis* 'Zebrinus'), 385
- Zephyranthes citrine*, 251
- Zephyranthes* spp., 355
- zinnia, 51, 57, 137, 227
- zoning of irrigation, 247–48
- zoysiagrass (*Zoysia* spp.), 160, 164–65, 172